



Style information


DRESS · PAGE 1 OF 7

BRAND	
STYLE NAME	
STYLE NUMBER	
SEASON / DROP	
CATEGORY	
GARMENT	Dress
SIZE RANGE	
BASE (SAMPLE) SIZE	
MAIN FABRIC	
COLORWAYS	
FACTORY	
CONTACT / EMAIL	

REVISION LOG

REV	DATE	PAGE	WHAT CHANGED	BY

FRONT VIEW



PAGES IN THIS PACK


1 Cover and style info · 2 Flats: front and back · 3 Points of measure · 4 Bill of materials · 5 Construction · 6 Colorways · 7 Labels and packing




Technical flats

DRESS · PAGE 2 OF 7

FRONT VIEW



BACK VIEW (OUTLINE: DRAW THE BACK DETAILS)



CALLOUTS: NUMBER THEM ON THE FLATS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

G GarmentSpec TECH PACK TEMPLATE BRAND STYLE NAME STYLE NO. SEASON DATE / VERSION
--

Points of measure

DRESS · PAGE 3 OF 7

POM	POINT OF MEASURE	HOW TO MEASURE	XS	S	M	L	XL	2XL	TOL ±
A	1/2 bust	Lay flat and measure side seam to side seam, 2.5 cm (1 in) below the armhole.							
B	1/2 waist	Straight across at the waist seam, or at the narrowest point on a dress without one.							
C	1/2 hip	Straight across at the distance below the waist your spec states (for example 20 cm).							
D	Length from HPS	From the HPS straight down to the hem edge.							
E	Strap or shoulder width	Across the shoulder or strap at the shoulder seam.							
F	Armhole, straight	Straight line from the shoulder point to the underarm point.							
G	1/2 sweep	Along the hem edge from side seam to side seam, following the curve.							

Unit: cm / in (circle one). Garment measured flat, not stretched; half measurements edge to edge. Base size: _____. Grade from the approved sample. How-to text is a starting point: edit it to match your own measuring rules.

 GarmentSpec TECH PACK TEMPLATE	BRAND	STYLE NAME	STYLE NO.	SEASON	DATE / VERSION
--	-------	------------	-----------	--------	----------------

Bill of materials

DRESS · PAGE 4 OF 7

ITEM	DESCRIPTION (COMPOSITION, WEIGHT, SIZE)	SUPPLIER	SUPPLIER REF	COLOR / CODE	PLACEMENT	QTY / GMT	UNIT
Shell fabric							
Lining (if any)							
Fusing (facings)							
Invisible zip							
Hook and eye							
Sewing thread							
Hanger loops							
Main label							
Size label							
Care label							
Hangtag and fastener							
Polybag							

List every material and trim, down to the thread and the polybag. Color codes: Pantone TCX, supplier color number or a lab dip reference.

Construction notes

DRESS · PAGE 5 OF 7

#	OPERATION	STITCH TYPE	SPI / SPCM	SEAM ALLOW.	NOTES (FINISH, TOPSTITCH, REINFORCEMENT)
1	Darts				
2	Bodice seams				
3	Skirt panels				
4	Waist seam				
5	Zip insert				
6	Facings or lining				
7	Armholes				
8	Hem				
9	Hanger loops				
10	Label attach				
11	Press				

COMMON STITCH CLASSES (ISO 4915)

301

Lockstitch

401

Chainstitch

406

Coverstitch, 2 needle

504

Overlock, 3 thread

514

Overlock, 4 thread

516

Safety stitch

605

Coverstitch, 3 needle


607


Flatlock, 4 needle





Colorways by component

DRESS · PAGE 6 OF 7

COLORWAY 1: _____


COLORWAY 2: _____


COLORWAY 3: _____


COLORWAY 4: _____


COMPONENT	COLORWAY 1	COLORWAY 2	COLORWAY 3	COLORWAY 4
SHELL FABRIC	☐	☐	☐	☐
LINING (IF ANY)	☐	☐	☐	☐
INVISIBLE ZIP	☐	☐	☐	☐
HOOK AND EYE	☐	☐	☐	☐
SEWING THREAD	☐	☐	☐	☐
HANGER LOOPS	☐	☐	☐	☐

Switch box + color code per component. One extra colorway of the same style is a small change for a factory; list every component that changes.



Labels and packing

DRESS · PAGE 7 OF 7

LABEL	POSITION (MEASURED FROM)	SIZE	MATERIAL	ATTACHMENT
MAIN LABEL				
SIZE LABEL				
CARE LABEL				
HANGTAG				
OTHER (PATCH, PRINT, HEAT TRANSFER)				

CARE LABEL CONTENT (FIBRE CONTENT, CARE SYMBOLS, COUNTRY OF ORIGIN, RN OR COMPANY ID AS YOUR MARKET REQUIRES)

FOLD METHOD AND SIZE	
POLYBAG (SIZE, WARNING TEXT)	
UNITS PER POLYBAG	
HANGTAG POSITION	
CARTON SIZE AND MAX WEIGHT	
UNITS PER CARTON / SIZE RATIO	
CARTON MARKS	

BACK VIEW: MARK LABEL POSITIONS

